

Medium CleanFoam® Swab with Long Handle

CleanFoam® Series



Description

The Medium CleanFoam® Swab with Long Handle is an excellent general-purpose swab for cleaning surfaces and hard-to-reach areas. Its laundered CleanFoam® head possesses excellent capacity and cushioning. A long handle and flexible internal head paddle provide good support. This swab can replace typical long-handled cotton swabs in applications requiring superior cleanliness.

Features

- Laundered polyurethane CleanFoam® head over flexible paddle
- 100 ppi open-cell structure
- Long, light green polypropylene handle
- Thermally bonded head
- Soft and nonabrasive

Benefits

- Low nonvolatile residue
- Low particle generation
- Excellent sorbency
- No contaminating adhesives
- Good chemical resistance

Applications

- Cleaning with solvents such as IPA
- Applying lubricants and other liquids
- Removing excess materials

Products

TX Number	Description	Packaging
TX740B	Medium CleanFoam® Swab with Long Handle	Bag-Within-A-Bag®; 500 swabs/bag; 5 inner bags of 100 swabs; 30 bags/case
TX740S	Medium CleanFoam® Swab with Long Handle	Bag-Within-A-Bag®; 500 swabs/bag; 5 inner bags of 100 swabs; 30 bags/case

ITW Texwipe®

North America
300B Route 17 South
Mahwah, NJ 07430
Tel (800) TEXWIPE ext 120
(201) 684-1800 ext 120
Fax (201) 684-1801
www.texwipe.com
info@texwipe.com

Europe/Middle East
Skejby Nordlandsvej 307
DK-8200 Aarhus N
Denmark
Tel +45 87 400 220
Fax +45 87 400 222

Asia/Pacific
50 Tagore Lane
#02-01 Markono
Distri Centre
Singapore 787494
Tel +65 6468 9433
Fax +65 6468 6772

DS-740 ©2007 ITW
Effective: March 2007

Swabs CF 740

Medium CleanFoam® Swab with Long Handle

TX740B TX740S

Physical Characteristics

Head material	100 ppi open-cell CleanFoam®
Head width	6.2 mm (0.244")
Head thickness	5.0 mm (0.197")
Head length	17.0 mm (0.669")
Handle material	Polypropylene
Handle width	3.2 mm (0.126")
Handle thickness	3.2 mm (0.126")
Handle length	146.0 mm (5.748")
Total swab length	163.0 mm (6.417")
Head bond	Thermal
Handle color	Light green
Design notes	Flexible head paddle; long handle

Contamination Characteristics

Property	Measurement	Test Method*
Nonvolatile residue		
IPA extractant	0.04 mg/swab	TM10: Procedure for Determining the Nonvolatile Residue (NVR) Extractable from Swabs in a Given Solvent
Ions		The Determination of Ions by Ion Chromatography (IC)
Chloride	0.04 µg/swab	
Sulfate	0.07 µg/swab	
Nitrate	<0.01 µg/swab	
Phosphate	<0.01 µg/swab	
Fluoride	0.01 µg/swab	
Potassium	0.02 µg/swab	
Calcium	0.03 µg/swab	
Sodium	0.15 µg/swab	
Magnesium	0.04 µg/swab	

*Test procedures available upon request.