


Small Compressed CleanFoam® Swab

CleanFoam® Series



Description

The Small Compressed CleanFoam® Swab is an excellent swab for cleaning small slotted and grooved areas. Its compressed, laundered CleanFoam® head possesses good firmness and a pointed tip. A compact, rigid handle and tapered internal head core provide excellent support.

Features

- Laundered polyurethane CleanFoam® head over rigid precision tip
- Compressed, 100 ppi open-cell structure
- Compact, light green polypropylene handle
- Thermally bonded head
- Firm, nonabrasive tip

Benefits

- Low nonvolatile residue
- Low particle generation
- Good sorbency and excellent solvent hold
- No contaminating adhesives
- Good chemical resistance

Applications

- Cleaning small areas with solvents such as IPA
- Applying lubricants and other liquids
- Removing excess materials

Products

TX Number	Description	Packaging
TX751B	Small Compressed CleanFoam® Swab	Bag-Within-A-Bag®; 500 swabs/bag; 5 inner bags of 100 swabs; 5 bags/case



North America
650 East Crescent Avenue
Upper Saddle River, NJ 07458
Tel (800) TEXWIPE ext 120
(201) 327-9100 ext 120
Fax (201) 327-5945
www.texwipe.com
info@texwipe.com

Europe/Middle East
Skejby Nordlandsvej 307
DK-8200 Århus N
Denmark
Tel +45 87 400 220
Fax +45 87 400 222

Asia/Pacific
50 Tagore Lane
#02-01/02/03 Markono
Distri Centre
Singapore 787494
Tel +65 6468 9433
Fax +65 6468 6772

Small Compressed CleanFoam® Swab

TX751B

Physical Characteristics

Head material	100 ppi open-cell CleanFoam®
Head width	3.5 mm (0.138")
Head thickness	3.5 mm (0.138")
Head length	17.0 mm (0.669")
Handle material	Polypropylene
Handle width	2.4 mm (0.094")
Handle thickness	2.4 mm (0.094")
Handle length	50.0 mm (1.969")
Total swab length	67.0 mm (2.638")
Head bond	Thermal
Handle color	Light green
Design notes	Precision pointed tip; compact handle

Contamination Characteristics

Property	Measurement	Test Method*
Nonvolatile residue		
IPA extractant	0.02 mg/swab	TM10: Procedure for Determining the Nonvolatile Residue (NVR) Extractable from Swabs in a Given Solvent
Ions		TM12: The Determination of Ions in Wipers and Other Materials by Capillary Ion Analysis (CIA)
Chloride	0.10 µg/swab	
Sulfate	0.01 µg/swab	
Nitrate	0.02 µg/swab	
Phosphate	<0.01 µg/swab	
Fluoride	<0.01 µg/swab	
Potassium	<0.01 µg/swab	
Calcium	<0.01 µg/swab	
Sodium	0.11 µg/swab	
Magnesium	<0.01 µg/swab	

*Test procedures available upon request.